



UNITED STATES PATENT AND TRADEMARK OFFICE

UNITED STATES DEPARTMENT OF COMMERCE
United States Patent and Trademark Office
Address: COMMISSIONER FOR PATENTS
P.O. Box 1450
Alexandria, Virginia 22313-1450
www.uspto.gov

APPLICATION NO.	FILING DATE	FIRST NAMED INVENTOR	ATTORNEY DOCKET NO.	CONFIRMATION NO.
09/689,957	10/12/2000	David Murray Melrose	31060.800US01	7844
23935	7590	11/02/2005	EXAMINER	
KOPPEL, JACOBS, PATRICK & HEYBL 555 ST. CHARLES DRIVE SUITE 107 THOUSAND OAKS, CA 91360			SMALLEY, JAMES N	
			ART UNIT	PAPER NUMBER
			3727	

DATE MAILED: 11/02/2005

Please find below and/or attached an Office communication concerning this application or proceeding.

Office Action Summary

Application No.

09/689,957

Applicant(s)

MELROSE, DAVID MURRAY

Examiner

James N. Smalley

Art Unit

3727

-- The MAILING DATE of this communication appears on the cover sheet with the correspondence address --

Period for Reply

A SHORTENED STATUTORY PERIOD FOR REPLY IS SET TO EXPIRE 3 MONTH(S) OR THIRTY (30) DAYS, WHICHEVER IS LONGER, FROM THE MAILING DATE OF THIS COMMUNICATION.

- Extensions of time may be available under the provisions of 37 CFR 1.136(a). In no event, however, may a reply be timely filed after SIX (6) MONTHS from the mailing date of this communication.
- If NO period for reply is specified above, the maximum statutory period will apply and will expire SIX (6) MONTHS from the mailing date of this communication.
- Failure to reply within the set or extended period for reply will, by statute, cause the application to become ABANDONED (35 U.S.C. § 133). Any reply received by the Office later than three months after the mailing date of this communication, even if timely filed, may reduce any earned patent term adjustment. See 37 CFR 1.704(b).

Status

- 1) ☒ Responsive to communication(s) filed on 10 May 2005.
- 2a) ☒ This action is **FINAL**. 2b) ☐ This action is non-final.
- 3) ☐ Since this application is in condition for allowance except for formal matters, prosecution as to the merits is closed in accordance with the practice under *Ex parte Quayle*, 1935 C.D. 11, 453 O.G. 213.

Disposition of Claims

- 4) ☒ Claim(s) 27-39, 41-52, 55-63, 65-70 and 77-86 is/are pending in the application.
- 4a) Of the above claim(s) 43-47, 49-52, 55-63, 65-67, 69-70, 80 is/are withdrawn from consideration.
- 5) ☐ Claim(s) _____ is/are allowed.
- 6) ☒ Claim(s) 27-39, 41, 42, 48, 68, 77-79 and 81-86 is/are rejected.
- 7) ☐ Claim(s) _____ is/are objected to.
- 8) ☐ Claim(s) _____ are subject to restriction and/or election requirement.

Application Papers

- 9) ☐ The specification is objected to by the Examiner.
- 10) ☐ The drawing(s) filed on _____ is/are: a) ☐ accepted or b) ☐ objected to by the Examiner.
Applicant may not request that any objection to the drawing(s) be held in abeyance. See 37 CFR 1.85(a).
Replacement drawing sheet(s) including the correction is required if the drawing(s) is objected to. See 37 CFR 1.121(d).
- 11) ☐ The oath or declaration is objected to by the Examiner. Note the attached Office Action or form PTO-152.

Priority under 35 U.S.C. § 119

- 12) ☐ Acknowledgment is made of a claim for foreign priority under 35 U.S.C. § 119(a)-(d) or (f).
- a) ☐ All b) ☐ Some * c) ☐ None of:
- ☐ Certified copies of the priority documents have been received.
 - ☐ Certified copies of the priority documents have been received in Application No. _____.
 - ☐ Copies of the certified copies of the priority documents have been received in this National Stage application from the International Bureau (PCT Rule 17.2(a)).

* See the attached detailed Office action for a list of the certified copies not received.

Attachment(s)

- ☐ Notice of References Cited (PTO-892)
- ☐ Notice of Draftsperson's Patent Drawing Review (PTO-948)
- ☐ Information Disclosure Statement(s) (PTO-1449 or PTO/SB/08)
Paper No(s)/Mail Date _____
- ☐ Interview Summary (PTO-413)
Paper No(s)/Mail Date. _____
- ☐ Notice of Informal Patent Application (PTO-152)
- ☐ Other: _____

Art Unit: 3727

DETAILED ACTION

Election/Restrictions

1. Claims 47, 51-52 and 65-67 are directed to an invention that is independent or distinct from the invention originally claimed for the following reasons:

The claims are drawn to embodiments which were not elected in the response to the Requirement for Restriction, mailed 8 August 2002. To the best degree the Examiner understands the claimed invention, the claims are drawn to the embodiment whereby the initiator region is near the center of the flex panel. This appears to be the non-elected embodiment of figures 7a-7c. The claims were incorrectly listed as generic, because they do not read on the elected embodiment of figures 1-5.

Since applicant has received an action on the merits for the originally presented invention, this invention has been constructively elected by original presentation for prosecution on the merits. Accordingly, claims 47, 51-52 and 65-67 are withdrawn from consideration as being directed to a non-elected invention. See 37 CFR 1.142(b) and MPEP § 821.03.

2. This application contains claims 43-46, 49-50, 55-63, 69-70 and 80 drawn to an invention nonelected with traverse in Paper No. 6. A complete reply to the final rejection must include cancellation of nonelected claims or other appropriate action (37 CFR 1.144) See MPEP § 821.01.

Claim Rejections - 35 USC § 102

3. The following is a quotation of the appropriate paragraphs of 35 U.S.C. 102 that form the basis for the rejections under this section made in this Office action:

A person shall be entitled to a patent unless –

(b) the invention was patented or described in a printed publication in this or a foreign country or in public use or on sale in this country, more than one year prior to the date of application for patent in the United States.

4. Claims 27-39, 41, 42, 48, 68, 77-79, 81-86 are rejected under 35 U.S.C. 102(b) as being anticipated by Weckman (US 4,387,816).

Regarding claim claims 27, 37, 48, 64, 68, 71-73, 77, 83 and 86 see Figs. 5-9, where the claimed structure is shown. Fig. 5 specifically, the initiator region is located at the top of panel near lead line 92.

Art Unit: 3727

The flexure region is located towards the bottom of the panel. There are different curvatures displaced from each other. The panel is capable of inverting due to the hinges 92. See Col. 6, lines 45 and 46 where it is stated that the panels collapse slowly inwardly. See also Col. 4, lines 21-26 where inward label bowing is discussed. The vacuum panel is the label panel. Regarding claims 81 and 82, the land areas are the sections of the container walls that join the vacuum panels. The flexure region has a greater arc length than the initiator region.

Because the panel of Weckman '816 meets the claimed limitations of an initiator region and a flexure region having greater arc than the initiator region, the device is capable of being used in the intended manner. It has been held that a recitation with respect to the manner in which a claimed apparatus is intended to be employed does not differentiate the claimed apparatus from a prior art apparatus satisfying the claimed structural limitations. *Ex parte Masham*, 2 USPQ2d 1647 (1987).

Response to Arguments

5. Applicant's arguments filed 10 May 2005 have been fully considered but they are not persuasive.

Because the panel of Weckman '816 meets the claimed limitations of an initiator region and a flexure region having greater arc than the initiator region, the device is capable of being used in the intended manner. Examiner notes figure 6, whereby it can be seen the top portion (read to be the initiator region) has less arc, than the lower portion (read to be the flexure region) which has greater arc length.

6. Applicant's arguments, see Remarks, filed 10 May 2005, with respect to rejections made over Krishnakumar et al. US 5,971,184, have been fully considered and are persuasive. The rejection has been withdrawn.

Conclusion

THIS ACTION IS MADE FINAL. Applicant is reminded of the extension of time policy as set forth in 37 CFR 1.136(a).

Art Unit: 3727

A shortened statutory period for reply to this final action is set to expire THREE MONTHS from the mailing date of this action. In the event a first reply is filed within TWO MONTHS of the mailing date of this final action and the advisory action is not mailed until after the end of the THREE-MONTH shortened statutory period, then the shortened statutory period will expire on the date the advisory action is mailed, and any extension fee pursuant to 37 CFR 1.136(a) will be calculated from the mailing date of the advisory action. In no event, however, will the statutory period for reply expire later than SIX MONTHS from the mailing date of this final action.

Any inquiry concerning this communication or earlier communications from the examiner should be directed to James N. Smalley whose telephone number is (571) 272-4547. The examiner can normally be reached on M-Th 9-6:30, Alternate Fri 9-5:30.

If attempts to reach the examiner by telephone are unsuccessful, the examiner's supervisor, Nathan Newhouse can be reached on (571) 272-4544. The fax phone number for the organization where this application or proceeding is assigned is 571-273-8300.

Information regarding the status of an application may be obtained from the Patent Application Information Retrieval (PAIR) system. Status information for published applications may be obtained from either Private PAIR or Public PAIR. Status information for unpublished applications is available through Private PAIR only. For more information about the PAIR system, see <http://pair-direct.uspto.gov>. Should you have questions on access to the Private PAIR system, contact the Electronic Business Center (EBC) at 866-217-9197 (toll-free).

jns


NATHAN J. NEWHOUSE
SUPERVISORY PATENT EXAMINER